oration of Curim Λ.,

Nar	ne of P	ool	at (name of city, village, or town in which pool is located)														on Operation of Swimming Pool				
Col	ınty													FC	r Mont	tn of				20	
Date	Filter Washed Check	Pool Cleaned Check	Total Number of Sathers	Chlorine Used Ibs/day □ gals/day□	Disinfection												03	Pool Drain Visible Check	ırts ınds		
					Residual mg/L Chlo						orine 🗆 Bromine 🗆					Alkalinity mg/L CaCO3	ain Che	qua	년 (6		
a)					1st Test				2nd Test				3rd Test				Alkalinity mg/L Ca	I Dr		a Asunds	
Jate					Time Free Total pH			Time Free Total pH			Time Free Total pH			Alka mg/l	Poo	Acio	Sod)	Remarks			
1		10		0 = 0,								•					` -		,	0, 0	
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					
16																					
17																					
18																					
19																					
20																					
21																					
22																					
23																					
24																					
25																					
26																					
27																					
28																					
29						-															
10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31																					
		\ \ \ / - ·				1				<u> </u>				Dis. t			0/	-1-1.			
	irce of													Pints	ונ		%	chlorine	e in		gallons of water
Ope	erator's	Signa	ture											Date							DOH-1323 CCHD Version 4/08

Swimming Pool Disinfection Instructions

- 1 The swimming pool disinfectant residual must be checked at least three times (3x) a day, especially before and after periods of heavy bathing.
- 2 The minimum disinfectant residuals to properly disinfect a pool are stated in Section 6-1.11(c) in Subpart 6-1 of the New York State Sanitary Code. Spa disinfectant residuals are stated in Section 6-1.25(c). A summary of the chlorine/bromine residuals is as follows:

For a pH range of 7.2 - 7.8: For chlorine:

minimum concentration of .6 mg/L free chlorine residuals (spas - 1.5 mg/L free chlorine residual);

maximum concentration of 5 mg/L free chlorine residual.

For bromine:

minimum concentration of 1.5 mg/L bromine residual (spas - 3.0 mg/L);

maximum concentration of 6 mg/L bromine residual.

For a pH range of 7.8 - 8.2: <u>minimum</u> concentration of 1.5 mg/L free chlorine residual;

maximum concentration of 5 mg/L free chlorine residual.

Use of chlorine compounds containing cyanuric acid is not acceptable.

Chlorine and bromine levels must be measured by the DPD method.

- 3 The chlorine sample should be taken between the pool inlet and outlet, at approximately a 12 inch depth.
- 4 Note in the remarks column any unusual circumstances; i.e. pool closure, pump failure, reason for pump and filter not operating, testing of ground fault interrupter, if applicable, and cloudiness of pool water, etc.
- 5 The county or district health department must be immediately notified of any change in equipment, interruption in treatment, loss of water clarity, or serious injury.