

2016 Enforcement Actions

<u>Docket #</u>	<u>Facility</u>	<u>Penalty</u>	<u>Violation</u>	<u>Date of Violation</u>
16-001	Downtown Health Club , 147 W. Gray Street, Elmira, NY 14901	\$100	Failure to provide minimum disinfection level.	12/23/2015
16-002	Gush's Thirsty Bear , 351 E. Washington Avenue, Elmira, NY 14901	\$200	Food from an unapproved source found on the premises. Pesticide use not in accordance with applicable laws.	12/30/2015
16-003	Lin Buffet , 1020 Center Street (#10), Horseheads, NY 14845	\$200	Food workers prepare raw and cooked or ready-to-eat food products without thorough handwashing and sanitary glove changing in between; Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	12/29/2015
16-004	Tanino Ristorante Italiano , 124 N. Main Street, Horseheads, NY 14845	\$200	Precooked, refrigerated, potentially hazardous foods are not reheated to 165F or above within two hours (Reheat)	12/30/2015
16-005	Field House , 470 Mt Zoar Street, Elmira, NY 14904	\$100	Food from an unapproved source, spoiled, or adulterated found on premises.	1/20/2016
16-006	Glass House, The , 125 Prescott Avenue, Elmira Heights, NY 14903	\$500	Smoking occurred in an area where smoking is prohibited.	1/26/2016
16-007	Patty World , 3300 Chambers Road, Horseheads, NY 14845	\$200	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140 F during hot holding (hot holding); Accurate thermometer not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating, and holding (thermometer).	2/5/2016
16-008	Gino's NY Pizzeria , 1905 College Avenue, Elmira, NY 14901	\$100	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140F (Hot Holding)	2/11/2016
16-009	Vincenzo's Pizzeria , Langdon Plaza #4, 303 N. Main Street, Elmira, NY 14901	\$100	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within 2 hours and from 70F to 45F within 4 hours	2/11/2016
16-010	Dunkin Donuts Elmira , 301 Madison Ave, Elmira, NY 14901	\$100	Food from an unapproved source, spoiled, or adulterated found on the premises.	2/17/2016

2016 Enforcement Actions

16-011	McConnell's Hots, 1138 Lake Street, Elmira, NY 14901	\$200	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within two hours and from 70F to 45F within four hours (cooling)	2/18/2016
16-012	Original Italian Pizza, 411 South Main Street, Elmira, NY 14904	\$100	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within 2 hours and from 70F to 45F within 4 hours (Cooling)	2/19/2016
16-013	Pudgies Pizza-South, 350 South Main Street, Elmira, NY 14904	Case Dismissed	Accurate thermometer not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating, and holding	2/23/2016
16-014	Champion's Sports Grille, 1141 Broadway, Suite 8, Elmira, NY 14904	\$200	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140 F during hot holding (Hot Holding); Accurate thermometer not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating, and holding (Thermometer).	2/22/2016
16-015	McClure's N.Y. Deli, 1335 College Avenue, Elmira, NY 14901	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	2/23/2016
16-016	Light's Bake & Coffee Shop, 211 West Second Street, Elmira, NY 14901	\$100	Accurate thermometer not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating, and holding.	2/19/2016
16-017	Edison High School, 100 Robinwood Avenue, Elmira Heights, NY 14903	\$200	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (Cold Holding); Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	2/23/2016
16-018	Family Wok, 1600 Cedar Street, Elmira, NY 14904	BOH Order - \$150 Fine	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within two hours and from 70F to 45F within four hours (cooling)	2/24/2016

2016 Enforcement Actions

16-019	<i>O'Ryan's Sports Bar</i> , 159 Prescott Avenue, Elmira Heights, NY 14903	\$100	Accurate thermometer not available or used to evaluate potentially hazardous food temperatures during cooking, cooling, reheating, and holding.	3/1/2016
16-020	<i>Horseheads Elks Club</i> , 6 Prospect Hill Road, Horseheads, NY 14845	\$200	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	3/8/2016
16-021	<i>New Happy Family Restaurant</i> , 103-107 South Main Street, Elmira, NY 14904	\$600	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage); Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within 2 hours and from 70F to 45F within 4 hours (Cooling); Potentially hazardous foods are not kept at a temperature of greater than or equal to 140F (Hot Holding)	3/9/2016
16-022	<i>Green Derby</i> , 113 W. First Street, Elmira, NY 14901	\$100	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140F (Hot Holding)	3/11/2016
16-023	<i>Chili's Grill & Bar</i> , 3347 S. Chambers Road, Horseheads, NY 14845	\$600	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140 F during hot holding (Hot Holding); Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage); Dish machine not adequately sanitizing dishware (Dish Machine); Adequate handwashing facilities are not maintained (Handwash).	3/10/2016
16-024	<i>Downtown Health Club</i> , 147 W. Gray Street, Elmira, NY 14901	\$200	Failure to provide minimum disinfection level.	3/15/2016
16-025	<i>Mac's Tavern</i> , 1064 S. Main Street, Elmira, NY 14904	\$100	Operating a Food Service Establishment without a permit (Permit).	3/17/2016
16-026	<i>Old Country Buffet</i> , 821 County Route 64, Elmira, NY 14903	\$100	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140 F during hot holding	3/15/2016
16-027	<i>Southside Sub Shop</i> , 374 S. Main Street, Elmira, NY 14904	\$200	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (Cold Holding).	3/17/2016

2016 Enforcement Actions

16-028	<i>EOP Kitchen at Ernie Davis Community Center</i> , 650 Baldwin Street, Elmira, NY 14901	\$200	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	3/24/2016
16-029	<i>Gino's NY Pizzeria</i> , 1905 College Avenue, Elmira, NY 14901	\$100	Hot holding waiver conditions were not followed.	4/1/2016
16-030	<i>Rodeway Inn Marshall Manor</i> , 3527 Watkins Road, Horseheads, NY 14845	BOH Order - \$400 Fine	Fire Alarm System not maintained; Documentation of fire extinguisher maintenance not available during inspection.	4/18/2016
16-031	<i>Econo Lodge</i> , 871 County Route 64, Elmira, NY 14903	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (Cold Holding)	5/18/2016
16-032	<i>Blair Warner</i> , 902 Hulett Street, Elmira, NY 14845	\$100	Food service establishment operating without a permit.	Jun-16
16-033	<i>Tanino Ristorante Italiano</i> , 124 N. Main Street, Horseheads, NY 14845	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (cold holding).	6/8/2016
16-034	<i>Fairfield Inn & Suites</i> (Food Service), 1600 County Route 64, Horseheads, NY 14845	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (cold holding).	6/8/2016
16-035	<i>Lin Buffet</i> , 1020 Center Street (#10), Horseheads, NY 14845	\$200	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within 2 hours and from 70F to 45F within 4 hours (cooling); Adulterated food found on premises - severely dented cans	6/9/2016
16-036	<i>Sweet Frog Yogurt</i> , 1625 County Route 64, Horseheads, NY 14845	\$100	Single service articles stored on the floor	6/10/2016
16-037	<i>Elmira Country Club</i> , 1538 W. Church Street, Elmira, NY 14905	\$200	Potentially hazardous foods are not kept at a temperature of less than or equal to 45 F during cold holding	6/14/2016
16-038	<i>Hill Top Inn</i> , 171 Jerusalem Hill Road, Elmira, NY 14901	\$100	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140F (Hot Holding)	6/9/2016

2016 Enforcement Actions

16-039	Pioneer Sports Bar & Grill, 208 South Main Street, Elmira, NY 14904	\$300	Hot holding equipment is not operated or maintained so that all potentially hazardous foods are stored at or above 140F (Hot Hold Equip); Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage); Cross connection found in potable water system which may allow contamination of potable water supply (Cross Connect)	6/30/2016
16-040	Holiday Inn Express, 2666 Corning Road, Horseheads, NY 14845	\$100	Adulterated food found on the premises	7/15/2016
16-041	Crestwood Mobile Home Park, 1493 Breesport Road, Erin, NY 14838	\$100	Failure to collect Total Coliform water sample during June & July 2016	8/1/2016
16-042	Park Church (William Knapp), 208 W. Gray Street, Elmira, NY 14901	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F during cold holding (Cold Holding)	7/21/2016
16-043	Quality Beverage, 1137 Maple Avenue, Elmira, NY 14904	\$350	Sale of a tobacco product to a minor	8/8/2016
16-044	Ray's Mobile Food, 9839 State Route 53, Prattsburg, NY 14873	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	8/2/2016
16-045	New Happy Family Restaurant, 103-107 South Main Street, Elmira, NY 14904	\$200	Potentially hazardous foods are not kept at a temperature of greater than or equal to 140F (Hot Holding)	8/10/2016
16-046	Paesano's Pizza & Subs, 600 Pennsylvania Avenue, Elmira, NY 14904	\$200	Lighting sources not maintained (Lighting); Door to exterior not maintained to prevent entrance of insects (Door Seal)	9/7/2016
16-047	Lin Buffet, 1020 Center Street (#10), Horseheads, NY 14845	\$500	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within 2 hours and from 70F to 45F within 4 hours (cooling); Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage); Food items stored on floor (Floor Storage)	9/12/2016

2016 Enforcement Actions

16-048	Family Wok , 1600 Cedar Street, Elmira, NY 14904	\$400	Potentially hazardous foods are not cooled by an approved method where the food temperature can be reduced from 120F to 70F or less within two hours and from 70F to 45F within four hours (cooling)	9/28/2016
16-049	McAnn Hotel , 3 Waverly Street, Van Etten, NY 14889	\$100	Floors are not maintained clean (Floors)	10/5/2016
16-050	Ernie Davis Academy , 933 Hoffman Street, Elmira, NY 14905	\$100	Potentially hazardous foods are not kept at a temperature of less than or equal to 45F or greater than or equal to 140F (Room Temperature Storage)	10/20/2016
16-051	Friendly's Arnot Mall , 3300 Chambers Road, Horseheads, NY 14845	\$200	Floors not clean and in good repair	10/14/2016
16-052	Fassett School , 309 Thurston Street, Elmira, NY 14901	\$100	Plumbing from equipment not maintained to prevent contamination.	10/24/2016
16-053	Elmira High School , 777 S. Main Street, Elmira, NY 14904	\$100	Swimming pool water testing for pH and free chlorine and total chlorine is not conducted and recorded as required.	11/3/2016