

Chemung County Department of Health  
Environmental Health Services  
103 Washington Street P. O. Box 588, Elmira, NY 14902-0588  
(607) 737 - 2019  
EHS@co.chemung.ny.us

## Food Service Establishment Inspection -- Summary Report

Operation: CRACKER BARREL OLD COUNTRY STORE #699 (ID: 789845)  
Facility Name: CRACKER BARREL #699  
Facility Code: 01083-01 Facility Email: None  
Facility Address: 1740 COUNTY ROUTE 64 HORSEHEADS, NY 14845

### To the Attention of:

SANDRA COCHRAN, PRES/CEO CRACKER BARREL OLD COUNTRY STORE, INC.  
ATTN: HEALTH PERMITS PO BOX 787  
LEBANON , TN 37088- Owner/Operator Email: bobbie.jones@crackerbarrel.com

### Re-Inspection

Date: MAY 30, 2018 02:12 PM  
Inspector: Erin Walmsley (ewalmsley@co.chemung.ny.us)  
Responsible Person: Lisa Hilligus  
(email: )

### Summary

Number of public health hazards found: 1  
Number of public health hazards NOT corrected: 0  
Number of other violations found: 0

Each item found in violation is reported below along with the code requirement.

## IMPROPER COOLING AND REFRIGERATED STORAGE OF POTENTIALLY HAZARDOUS FOODS.

### ITEM # 5C WAS FOUND IN VIOLATION 1 TIME(S). CRITICAL VIOLATION

All or parts of the violation item are IN violation.

#### Code Requirements

Potentially hazardous foods are not stored under refrigeration except during necessary preparation or approved precooling procedures (room temperature storage).

#### Inspector Findings

Observed a gallon container of milk (3/4 full) on lower shelf of prep table across from ovens at temperature of 62dF. Ambient room temperature was 75dF. Management stated a change in staff had just occurred and was unable to determine how long milk had been out of refrigeration. Discussed requirement to cold hold milk at 45dF or less. Manager voluntarily discarded. CORRECTED

#### Additional Information Collected During Inspection

#### Comments

Observed all refrigeration units on cook line running at temperatures of 45dF or less (5E corrected from previous inspection). No other items were evaluated during reinspection.

END of REPORT